




CATALOGUE

PRODUCTS AND SERVICES



WWW.PAMCASTEEL.COM

CARBON PRODUCTS

Seamless / DSAW / ERW/ Heavy Walls / High Yield X Grades. Charpy Impact Tested @ -29 DEGREES C.

PRODUCT	SPECIFICATION	GRADE	SIZE RANGE
CARBON PIPE			
SEAMLES PIPE	ASTM/ASME A/SA53	B	1/8" Nom DD e 36" OD
	ASTM/ASME A/SA106	B, C	1/8" Nom DD - 36" OD
	API 5L (PSL-1/PSL-2)	B, X42, X52 X56, X60, X65 ,X70	2" Nom - 36" OD
WELDED PIPE - ERW	ASTM/ ASME A/SA53	A, B	1 /8" Nom OD -26" OD
	ASTM A252	2,3	4" Nom -24" OD
	API 5L (PSL-1, PSL-2)	B, X42, X52, X56, X60, X65, X70	2" Nom OD -26" OD
	SLURRY PIPE / ABRASIVE RESISTANT	220, 240 BRINELL	3" Nom - 24" OD
WELDED PIPE - DSAW	ASTM A252	2,3	18" OD - 48" OD
	ASTM A671	CC60, CC65, CC70	24" OD -108" OD
	ASTM A672	C60, C65, C70	24" OD -108" OD
	APi 5L(PSL -1, PSL-2) API 2B	B, X42, X52, X56, X60, X65, X70, X 80	18" OD - 60" OD
	CSA Z245.1	483 Cat 2	24" OD - 42" OD
WELDED PIPE - SPIRAL	AWWA C200		16" OD - 1 08" OD
	ASTM A252	2,3	16" OD - 108" OD
	SLURRY PIPE / ABRASIVE RESISTANT	220, 240 BRINELL	30" OD - 48" OD
CARBON FITTINGS			
BUTT - WELD FITTINGS	ASTM A252	A234 WPB, WPC	2" -42"
	MSS - SP - 75	Y42, Y52, Y60, Y65, Y70	4" -42"
FLANGES	ASTM	A105	2" -42"
	A694	F42, F52, F60, F65, F70	4" -42"
	AWWA	C207 CLASS 1 TABLE "D"	3" -48"

CHROME MOLY, LOW TEMPERATURE, CARBON STEEL & STAINLESS STEEL

Let us be your first step for chrome-moly, stainless, low-temperature.

PRODUCT	SPECIFICATION	GRADE	SIZE RANGE
CHROME MOLY			
SEAMLESS PIPE	ASTM/ ASME A/SA 335	P11, P22, P5, P9, P91	1/4" - 24"
WELDED PIPE	ASTM/ ASME A/SA 691	1-1/4CR, 2-1/4CR, 5CR, 9CR, 91	20" - 60"
BUTT - WELD FITTINGS	ASTM/ ASME A/SA 234	Wpl 1, WP22, WP5, WP9, WP91	1 /2" - 30"
FLANGES	ASTM/ ASME A/SA 182	F11, F22, F5, F9, F91	1 /2" - 24"; 150# - 2500#
PRESSURE FITTINGS	ASTM/ ASME A/SA 182	F11, F22, F5, F9, F91	1/4" - 3"; 3000#-9000#
CAST VALVES	ASTM/ ASME A/SA 217	WC6, C5, C12	2" - 24"; 150# - 600#
FORGED VALVES	ASTM/ ASME A/SA 182	F11, F22, F5, F9, F91	1 /2" - 2"; 800# - 2500#
LOW TEMPERATURE			
SEAMLESS PIPE	ASTM/ ASME A/SA 333	Grade 1 /6	1/2" - 36"
WELDED PIPE	ASTM/ ASME A/SA 672	C60, C70	20" - 48"
BUTT - WELD FITTINGS	ASTM/ ASME A/SA 420	WPL6	1/2" - 24"
FLANGES	ASTM/ ASME A/SA 350	LF2	1/2" - 24"; 150#-2500#
PRESSURE FITTINGS	ASTM/ ASME A/SA 350	LF2	1 /2" -3"; 3000# - 6000#
CAST VALVES	ASTM/ ASME A/SA 352	LCC	2" - 24"; 150# - 600#
FORGED VALVES	ASTM/ ASME A/SA 350	LF2	1 /2" - 2"; 800# - 2500#
STAINLESS			
SEAMLESS PIPE	ASTM/ ASME A/SA 312/376	TP304/L,TP316/L,TP304/H, TP321 /H,TP347 /H	1/4"-16"
	ASTM/ ASME A/SA 790	UNS S31803/S32205 Duplex	1/2" - 8"
WELDED PIPE	ASTM/ ASME A/SA 790	UNS S31803/S32205 Duplex	1 /2" - 12"
BUTT - WELD FITTINGS	ASTM/ ASME A/SA 403	WP321 /H,WP347 /H	1 /2" -8"; 1 OS, 40S, 80S
	ASTM/ ASME A/SA 815	S31803/S32205 Duplex	1 /2" - 12"; 1 OS, 40S, 80S
FLANGES	ASTM/ ASME A/SA 182	F321/H, F347/H, F51 Duplex	1 /2" - 12"; 150#, 300#
PRESSURE FITTINGS	ASTM/ ASME A/SA 182	F51 Duplex	1 /2" - 2"; 3000#
FORGED VALVES	ASTM/ ASME A/SA 182	316L, 347	1 /2" - 2"; 800# -2500#

NICKEL ALLOYS

PRODUCT	SPECIFICATION	SIZE RANGE	WALLS / PRESSURE
PRESSURE FITTINGS	ASTM 8564	1/2" - 2"	3000#
ALLOY 600 (UNS N06600)			
SEAMLESS PIPE	ASTM 8167	1/8" - 8"	10S, 40S, 80S, 160
BUTT - WELD FITTINGS	ASTM 8366	1/2" - 8"	10S, 40S, 80S
FLANGES	ASTM 8564	1/2" - 8"	150#, 300#
PRESSURE FITTINGS	ASTM 8564	1/2" - 4"	3000#
ALLOY 625 (UNS N06625)			
WELDED PIPE	ASTM 8705	1/2" - 8"	10S, 40S, 80S
BUTT - WELD FITTINGS	ASTM 8366	1/2" - 8"	10S, 40S, 80S
FLANGES	ASTM 8564	1/2" - 8"	150#, 300#
ALLOY 800 H (UNS N08810 / N 08811)			
SEAMLESS PIPE	ASTM 8407	1/4" - 8"	10S, 40S, 80S, 160
BUTT - WELD FITTINGS	ASTM 8366	1/2" - 8"	10B, 36B, 80B
FLANGES	ASTM 8564	1/2" - 8"	150#, 300#
PRESSURE FITTINGS	ASTM 8564	1/2" - 2"	3000#
ALLOY 825 (UNS N08825)			
SEAMLESS PIPE	ASTM 8423	1/2" - 8"	10S, 40S, 80S, 160
BUTT - WELD FITTINGS	ASTM 8366	1/2" - 8"	10S, 40S, 80S
FLANGES	ASTM 8564	1/2" - 8"	150#, 300#
DUPLEX 2205 (UNS S31803 / S32205)			
SEAMLESS PIPE	ASTM A790	1/2" - 8"	10S, 40S, 80S, 160, XXH
WELDED PIPE	ASTM A790	1/2" - 12"	10S, 40S, 80S
BUTT - WELD FITTINGS	ASTM A815	1/2" - 12"	10S, 40S, 80S
FLANGES	ASTM A182 F51	1/2" - 12"	150#, 300#
PRESSURE FITTINGS	ASTM A182	1/2" - 4"	3000#
SEAMLESS STAINLESS			
GRADES 304/H, 304/L, 316/L, 321/H, 347/H			
SEAMLESS PIPE	ASTM A312	1/8" - 12"	10S, 40S, 80S, 160, XXH
BUTT - WELD FITTINGS	ASTM A403	1/2" - 8"	10S, 40S, 80S
FLANGES	ASTM A182a	1/2" - 8"	150#, 300#



NICKEL ALLOYS


PRODUCT	SPECIFICATION	SIZE RANGE	WALLS / PRESSURE
ALLOY 20 (UNS N08020)			
SEAMLESS PIPE	ASTM 8729	1/8" - 8"	10S, 40S, 80S, 160
WELDED PIPE	ASTM 8464	1/2" - 16"	10S, 40S
BUTT - WELD FITTINGS	ASTM 8366	1/2" - 12"	10S, 40S, 80S
FLANGES	ASTM 8462	1/2" - 12"	150#, 300#
PRESSURE FITTINGS	ASTM 8462	1/2" - 4"	3000#
ALLOY 276 (UNS N10276)			
SEAMLESS PIPE	ASTM 8622	1/2" - 4"	40S, 80S
WELDED PIPE	ASTM 8619	1/4" - 12"	10S, 40S
BUTT - WELD FITTINGS	ASTM 8366	1/2" - 12"	10S, 40S, 80S
FLANGES	ASTM 8564	1/2" - 12"	150#, 300#
PRESSURE FITTINGS	ASTM 8564	1/2" - 4"	3000#
ALLOY 200/201 (UNS N02200/N022001)			
SEAMLESS PIPE	ASTM 8161	1/8" - 8"	10S, 40S, 80S
BUTT - WELD FITTINGS	ASTM 8366	1/2" - 8"	10S, 40S, 80S
FLANGES	ASTM 8564	1/2" - 8"	150#, 300#
PRESSURE FITTINGS	ASTM 8564	1/2" - 2"	3000#
ALLOY 400 (UNS N04400)			
SEAMLESS PIPE	ASTM 8165	1/8" - 8"	10S, 40S, 80S
WELDED PIPE	ASTM 8725	1/8" - 12"	10S, 40S
BUTT - WELD FITTINGS	ASTM 8366	1/2" - 12"	10S, 40S, 80S
FLANGES	ASTM 8564	1/2" - 12"	150#, 300#

NOM PIPE SIZE	OD IN INCHES	Pipe sizes made to API and other standards Thickness in inches NOT SCHEDULED foot in pounds											UPPER FIGURES = Wall			
		O.D. - Wall x Wall x 10.69 = Weight per Foot of Steel Pipe (P.E)											LOWER FIGURES = Weight per			
2	2.375	0.065 1.61	0.083 2.03	0.109 2.64	0.120 2.89	0.134 3.21	0.154 3.66	0.188 4.40	0.190 4.44	0.218 5.03	0.254 5.76	0.281 6.29	0.344 7.47	0.375 8.02	0.436 9.04	0.500 10.02
2 1/2	2.875	0.078 2.33	0.083 2.48	0.109 3.22	0.120 3.53	0.141 4.12	0.154 4.48	0.188 5.40	0.203 5.80	0.216 6.14	0.217 6.17	0.250 7.02	0.276 7.67	0.308 8.45	0.375 10.02	0.552 13.71
3	3.500	0.078 2.85	0.083 3.03	0.109 3.95	0.120 4.34	0.125 4.51	0.141 5.06	0.156 5.58	0.188 6.66	0.216 7.58	0.250 8.69	0.254 8.81	0.281 9.67	0.300 10.26	0.438 14.34	0.600 18.60
3 1/2	4.000	0.083 3.48	0.094 3.92	0.109 4.53	0.120 4.98	0.125 5.18	0.141 5.82	0.156 6.41	0.172 7.04	0.188 7.66	0.226 9.12	0.250 10.02	0.262 10.47	0.281 11.17	0.318 12.52	0.636 22.87
4	4.500	0.083 3.92	0.109 5.12	0.120 5.62	0.125 5.85	0.141 6.57	0.156 7.24	0.172 7.96	0.188 8.67	0.203 9.32	0.219 10.02	0.224 10.24	0.250 11.36	0.290 13.05	0.312 13.97	0.375 16.54
4 1/2	5.000	0.120 6.26	0.125 6.51	0.156 8.08	0.188 9.67	0.203 10.41	0.219 11.19	0.237 12.07	0.253 12.84	0.296 14.88	0.362 17.95	0.437 21.32	0.500 24.05	0.562 26.66	0.750 34.07	1.250 50.11
5	5.563	0.083 4.86	0.109 6.36	0.125 7.27	0.134 7.78	0.156 9.02	0.188 10.80	0.219 12.51	0.258 14.63	0.281 15.87	0.312 17.51	0.344 19.19	0.375 20.80	0.500 27.06	0.625 32.99	0.750 38.59
6	6.625	0.109 7.59	0.125 8.69	0.134 9.30	0.141 9.77	0.156 10.79	0.172 11.87	0.188 12.94	0.203 13.94	0.219 15.00	0.250 17.04	0.312 21.06	0.344 23.10	0.375 25.05	0.500 32.74	0.625 40.09
8	8.625	0.109 9.92	0.125 11.36	0.156 14.12	0.172 15.54	0.188 16.96	0.203 18.28	0.219 19.68	0.264 23.60	0.312 27.73	0.344 30.45	0.375 33.07	0.438 38.33	0.562 48.44	0.812 67.82	0.875 72.49
10	10.75	0.156 17.67	0.172 19.45	0.188 21.23	0.203 22.89	0.219 24.65	0.279 31.23	0.344 38.27	0.350 38.91	0.400 44.26	0.438 48.28	0.562 61.21	0.625 67.65	0.812 86.26	1.000 104.23	1.250 126.94
12	12.75	0.172 23.13	0.188 25.25	0.203 27.23	0.219 29.34	0.281 37.46	0.312 41.48	0.344 45.62	0.438 57.65	0.625 81.01	0.750 96.21	0.812 103.63	0.875 111.08	1.500 180.39	1.750 205.78	2.000 229.84
14	14.00	0.188 27.76	0.203 29.94	0.219 32.26	0.281 41.21	0.344 50.22	0.406 59.00	0.469 67.84	0.562 80.73	0.625 89.36	0.688 97.91	0.812 114.48	0.875 122.77	2.000 256.56	2.125 269.76	2.500 307.34
16	16.00	0.188 31.78	0.203 34.28	0.219 36.95	0.281 47.22	0.344 57.57	0.406 67.68	0.438 72.86	0.469 77.87	0.625 102.72	0.750 122.27	0.812 131.84	0.938 151.03	1.125 178.89	1.618 248.76	2.000 299.32
18	18.00	0.188 35.80	0.219 41.63	0.281 53.23	0.344 64.93	0.406 76.36	0.469 87.89	0.625 116.09	0.688 127.32	0.812 149.20	0.875 160.18	1.000 181.73	1.125 202.94	1.250 223.82	1.500 264.58	1.562 274.48
20	20.00	0.219 46.31	0.281 59.23	0.312 65.66	0.344 72.28	0.406 85.04	0.438 91.59	0.469 97.92	0.625 129.45	0.750 154.34	0.875 178.89	1.000 203.11	1.250 250.55	1.375 273.76	1.500 296.65	1.750 341.41
22	22.00	0.219 50.99	0.281 65.24	0.312 72.34	0.344 79.64	0.406 93.72	0.438 100.96	0.469 107.95	0.625 142.81	0.750 170.37	1.000 224.49	1.219 270.80	1.250 277.27	1.625 353.94	1.875 403.38	2.125 451.49
24	24.00	0.281 71.25	0.312 79.01	0.344 86.99	0.406 102.40	0.438 110.32	0.469 117.98	0.625 156.17	0.750 186.41	0.875 216.31	1.000 245.87	1.250 304.00	1.312 318.21	1.500 360.79	1.812 429.79	2.343 542.44
26	26.00	0.250 68.82	0.281 77.26	0.344 94.35	0.406 111.08	0.438 119.69	0.469 128.00	0.562 152.83	0.625 169.54	0.656 177.73	0.688 186.16	0.750 202.44	0.875 235.01	1.000 267.25	1.188 315.11	1.250 330.72
28	28.00	0.250 74.16	0.312 92.35	0.375 110.74	0.500 146.99	0.625 182.90	0.750 218.48	0.875 253.72	1.000 288.63	1.250 357.45	1.500 424.93					
30	30.00	0.281 89.27	0.344 109.06	0.406 128.44	0.438 138.42	0.469 148.06	0.562 176.86	0.656 205.78	0.750 234.51	0.875 272.43	1.000 310.01	1.250 384.17	1.375 420.75	1.500 457.00	1.750 528.49	2.500 734.94
32	32.00	0.312 105.69	0.375 126.78	0.500 168.37	0.625 209.62	0.750 250.55	0.875 291.14	1.000 331.39	1.250 410.90							
34	34.00	0.312 112.36	0.375 134.79	0.500 179.06	0.625 222.99	0.750 266.58	1.000 352.77									
36	36.00	0.281 107.30	0.312 119.03	0.344 131.12	0.406 154.48	0.438 166.51	0.469 178.14	0.562 212.90	0.656 247.85	0.688 259.71	0.875 328.55	1.000 374.15	1.250 464.35	1.500 553.21	1.750 640.73	2.000 726.92
40	40.00	0.312 132.37	0.375 158.85	0.500 211.13	0.562 236.93	0.625 263.07	0.750 314.69	1.000 416.91								
42	42.00	0.312 139.04	0.344 153.18	0.406 180.52	0.438 194.60	0.469 208.22	0.562 248.95	0.625 276.44	0.656 289.93	0.688 303.84	0.750 330.72	0.875 384.67	1.000 438.29	1.125 491.57	1.250 544.52	1.500 649.42
48	48.00	0.406 206.56	0.438 222.70	0.469 238.30	0.562 285.00	0.625 316.52	0.656 332.01	0.688 347.97	0.750 378.83	0.812 409.61	0.875 440.80	0.938 471.90	1.000 502.43	1.125 563.73	1.250 624.70	1.500 745.63
54	54.00	0.250 143.65	0.312 179.06	0.344 197.31	0.375 214.97	0.406 232.61	0.438 250.79	0.469 268.38	0.500 285.96	0.562 321.04	0.625 356.61	0.750 426.93	0.812 461.69	0.875 496.92	0.938 532.06	1.000 566.57
60	60.00	0.250 159.68	0.312 199.08	0.344 219.38	0.375 239.02	0.406 258.65	0.438 278.88	0.465 295.94	0.500 318.03	0.562 357.09	0.625 396.70	0.688 436.22	0.750 475.04	0.812 513.77	0.875 533.04	1.000 630.71

PIPE SIZE	O.D IN INCHES	PIPE SCHEDULES															DBLE E.H
		55	5	105	10	20	30	STD.	40	60	E.H	80	100	120	140	160	
1/8	0.405				0.049 0.186			0.068 0.245	0.068 0.245		0.095 0.315	0.095 0.315					
1/4	0.540				0.065 0.330			0.088 0.425	0.088 0.425		0.119 0.536	0.119 0.536					
3/8	0.675				0.065 0.424			0.091 0.568	0.091 0.568		0.126 0.739	0.126 0.739					
1/2	0.840		0.065 0.539		0.83 0.672			0.109 0.852	0.109 0.852		0.147 1.089	0.147 1.089				0.188 1.310	0.294 1.716
3/4	1.050	0.065 0.68		0.083 0.86				0.113 1.13	0.113 1.13		0.154 1.48	0.154 1.48				0.218 1.94	0.308 2.44
1	1.315	0.065 0.87		0.109 1.41				0.133 1.68	0.133 1.68		0.179 2.17	0.179 2.17				0.250 2.85	0.358 3.66
1 1/4	1.660	0.065 1.11		0.109 1.81				0.140 2.27	0.140 2.27		0.191 3.00	0.191 3.00				0.250 3.77	0.382 5.22
1 1/2	1.900	0.065 1.28		0.109 2.09				0.145 2.72	0.145 2.72		0.200 3.63	0.200 3.63				0.281 4.86	0.400 6.41
2	2.375	0.065 1.61		0.109 2.64				0.154 3.66	0.154 3.66		0.218 5.03	0.218 5.03				0.344 7.47	0.436 9.04
2 1/2	2.875	0.083 2.48		0.120 3.53				0.203 5.80	0.203 5.80		0.276 7.67	0.276 7.67				0.375 10.02	0.552 13.71
3	3.500	0.083 3.03		0.120 4.34				0.216 7.58	0.216 7.58		0.300 10.26	0.300 10.26				0.438 14.34	0.600 18.60
3 1/2	4.000	0.083 3.48		0.120 4.98				0.226 9.12	0.226 9.12		0.318 12.52	0.318 12.52					0.636 22.87
4	4.500	0.083 3.92		0.120 5.62				0.237 10.80	0.237 10.80		0.337 15.00	0.337 15.00		0.438 19.02		0.531 22.53	0.674 27.57
4 1/2	5.000							0.247 12.55			0.355 17.63						0.710 32.56
5	5.563	0.109 6.36		0.134 7.78				0.258 14.63	0.258 14.63		0.375 20.80	0.375 20.80		0.500 27.06		0.625 32.99	0.750 38.59
6	6.625	0.109 7.59		0.134 9.30				0.280 18.99	0.280 18.99		0.432 28.60	0.432 28.60		0.562 36.43		0.719 45.39	0.864 53.21
8	8.625	0.109 9.92		0.148 13.41		0.250 22.38	0.277 24.72	0.322 28.58	0.322 28.58	0.406 35.67	0.500 43.43	0.500 43.43	0.594 51.00	0.719 60.77	0.812 67.82	0.906 74.76	0.875 72.49
10	10.75	0.134 15.21		0.165 18.67	0.165 18.67	0.250 28.06	0.307 34.27	0.365 40.52	0.365 40.52	0.500 54.79	0.500 54.79	0.594 64.49	0.719 77.10	0.844 89.38	1.000 104.23	1.125 115.75	1.000 104.23
12	12.75	0.156 21.00	0.165 22.20	0.180 24.19		0.250 33.41	0.330 43.81	0.375 49.61	0.406 53.57	0.562 73.22	0.500 65.48	0.688 88.71	0.844 88.71	1.000 125.61	1.125 139.61	1.312 160.42	
14	14.00	0.156 23.09		0.188 27.76	0.250 36.75	0.312 45.65	0.375 54.62	0.375 54.62	0.438 63.50	0.594 85.13	0.500 72.16	0.750 106.23	0.938 130.98	1.094 150.93	1.250 170.37	1.406 189.29	
16	16.00	0.165 27.93		0.188 31.78	0.250 42.09	0.312 52.32	0.375 62.64	0.375 62.64	0.500 82.85	0.656 107.60	0.500 82.85	0.844 136.74	1.031 164.98	1.219 192.61	1.438 223.85	1.594 245.48	
18	18.00	0.165 31.46			0.250 47.44	0.312 58.99	0.438 82.23	0.375 70.65	0.562 104.76	0.750 138.30	0.500 93.54	0.938 171.08	1.156 208.15	1.375 244.37	1.562 274.48	1.781 308.79	
20	20.00	0.188 39.82		0.218 46.10	0.250 52.78	0.375 78.67	0.500 104.23	0.375 78.67	0.594 123.23	0.812 166.56	0.500 104.23	1.031 209.06	1.281 256.34	1.500 296.65	1.750 341.41	1.969 379.53	
22	22.00					0.375 86.69	0.500 114.92			0.875 197.60		1.125 251.05	1.375 303.16	1.625 353.94	1.875 403.38	2.125 451.49	
24	24.00				0.250 63.47	0.375 94.71	0.562 140.81	0.375 94.71	0.688 171.45	0.969 238.57	0.500 125.61	1.219 296.86	1.531 367.74	1.812 429.79	2.062 483.57	2.343 542.44	
26	26.00				0.312 85.68	0.500 136.30		0.375 102.72			0.500 136.30						
28	28.00				0.312 92.35	0.500 146.99	0.625 182.90	0.375 110.74			0.500 146.99						
30	30.00	0.250 79.51			0.312 99.02	0.500 157.68	0.625 196.26	0.375 118.76	0.750 234.51		0.500 157.68						
32	32.00				0.312 105.69	0.500 168.37	0.625 209.62	0.375 126.78	0.750 250.55		0.500 168.37						
34	34.00					0.500 179.06		0.375 134.79			0.500 179.06						
36	36.00	0.250 95.54			0.312 119.03	0.500 189.75	0.625 236.35	0.375 142.81	0.750 282.62		0.500 189.75						
42	42.00							0.375 166.86			0.500 221.82						
48	48.00							0.375 190.92			0.500 253.89						
54	54.00							0.375 214.97			0.500 285.96						
60	60.00							0.375 239.02			0.500 318.03						

Upper Figures = Wall Thickness in Inches

Lower Figures = Weight Per Foot in Pounds



OUR SERVICES

At PAMCASTEEL, our commitment to serving our clients goes beyond simply providing steel products. We offer a comprehensive suite of services designed to streamline your procurement process, enhance project efficiency, and ensure your satisfaction every step of the way.

1. Sourcing and Procurement:

Our experienced procurement team collaborates with globally approved suppliers and manufacturers to source a wide range of steel products, including linepipes, fittings, flanges, and valves. We carefully select products that meet your specific requirements in terms of size, specification, grade and manufacturer approval.

Benefits:

Access to a vast network of reputable suppliers.
Expert guidance in product selection.

2. Customization:

We understand that every project is unique. That's why we offer customization options, allowing you to tailor our steel products to your exact specifications. Whether it's custom quantities, coatings, or special orders, we have the capabilities to meet your specific needs.

Benefits:

Products designed to fit your project requirements.
Increased efficiency and reduced waste
Enhanced project performance and cost savings

3. Logistics and Delivery:

We take the hassle out of logistics and delivery. Our dedicated logistics team coordinates the safe and timely delivery of your steel products to your project site. Whether it's a local or international shipment, we ensure your order arrives on schedule.

Benefits:

Hassle-free shipping and delivery
Risk mitigation through reliable logistics

4. Quality Control:

Quality is paramount in the steel industry. We maintain strict quality control processes throughout the sourcing and procurement stages. Our products undergo rigorous inspection and testing requested from our clients to ensure they meet or exceed industry standards.

Benefits:

Assurance of high-quality, reliable products
Compliance with industry regulations and certifications
Minimized risk of defects or failures

5. Technical Support:

Our team of experts is here to support you with technical guidance, product recommendations, and assistance in selecting the right steel solutions for your projects. We are dedicated to ensuring your success.

Benefits:

Access to industry expertise and knowledge
Informed decision-making for optimal project outcomes
Prompt response to technical inquiries

6. After-Sales Service:

Our commitment to your satisfaction doesn't end with the sale. We offer after-sales services, including technical assistance and document traceability to ensure your ongoing success.

Benefits:


Peace of mind knowing we're here to support you
Efficient issue resolution and troubleshooting

7. Coating:

Internal and external - FBE, 3LPE-3LPP.

With PAMCASTEEL, you don't just receive steel products; you gain a reliable partner committed to enhancing the efficiency and success of your projects. Our comprehensive suite of services is designed to simplify your steel procurement process, reduce risks, and contribute to the overall success of your endeavors.


BRANDS



PAMCA
STEEL

WWW.PAMCASTEEL.COM





CONTACT INFORMATION

HERE'S HOW YOU CAN GET STARTED:

Contact Us:

Reach out to our team of experts for inquiries, quotes, or to discuss your specific steel needs. We're here to assist you promptly and professionally.

Phone: +1(832)-273-4943

Email: quotes@pamcasteel.com

Address: 2401 Crawford Street Unit C1-C Houston, TX 77004

Request a Quote:

If you have a project in mind or need pricing information, request a customized quote. Our team will provide you with competitive pricing options tailored to your requirements.

Explore Our Product Catalog:

Visit our website or contact us to explore our extensive product catalog, featuring a wide range of steel products for various industries.

Schedule a Consultation:

If you require technical guidance or have complex project requirements, schedule a consultation with our experts. We'll provide insights and solutions to meet your unique challenges.

At PAMCASTEEL, we are ready to be your trusted steel partner, providing top-quality products and unmatched services for your projects. Don't miss out on the opportunity to experience the difference of working with a reliable and dedicated steel broker.



WWW.PAMCASTEEL.COM

